

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Carpet Pro - Tile & Grout Cleaner
PRODUCT USE: Grout cleaner
MANUFACTURED FOR: Warsaw Chemical Holdings LLC.
P.O. Box 858
Warsaw, IN 46581
INFORMATION PHONE: Tel: 1-800-548-3396
Fax: 1-574-267-3884
EMERGENCY PHONE: INFOTRAC
1-800-535-5053 USA & Canada
352-323-3500 International

SECTION 2 - HAZARD(S) IDENTIFICATION

CLASSIFICATION: Skin Corrosion: Category 3
Eye Damage: Category 1
Skin Sensitization: Category 1

PICTOGRAMS:



GHS ELEMENTS:

SIGNAL WORD: Danger

HAZARD STATEMENT(S): H316 | Causes mild skin irritation.
H318 | Causes serious eye damage.
H317 | May cause an allergic skin reaction.

PRECAUTIONARY STATEMENT(S): P261 | Avoid breathing dust/fume/gas/mist/vapours/spray.
P272 | Contaminated work clothing should not be allowed out of the workplace.
P280 | Wear protective gloves/protective clothing/eye protection/face protection.
P302 + P352 | IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 | Immediately call a POISON CENTER or doctor/physician.
P321 | Specific treatment (see supplemental first aid instruction on this label if immediate administration of antidote/specific measures/cleansing agent/immediate measures is/are appropriate/required).
P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention.
P501 | Dispose of contents/container to appropriate waste disposal entity in accordance with local/regional/national/international regulation.

ADDITIONAL PRECAUTIONS: None Known

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

| HAZARDOUS INGREDIENT | CAS # | FUNCTIONAL PURPOSE | PERCENT |
|------------------------------|------------|--------------------|----------|
| Sodium Hydroxide 50% | 1310-73-2 | pH Adjustment | 10 - 20% |
| 2-Butoxyethanol | 111-76-2 | Solvent | 1 - 5% |
| Tetrasodium EDTA | 13235-36-4 | Water Softener | 1 - 5% |
| Sodium Xylenesulfonate | 1300-72-7 | Surfactant | 1 - 5% |
| Alcohols, C9-11, Ethoxylated | 68439-46-3 | Surfactant | < 1.0% |
| D-Limonene | 94266-47-4 | Solvent | < 1.0% |
| FD&C Yellow #6 | 2783-94-0 | Colorant | < 1.0% |

The chemical identity of some or all components is confidential business information (trade secret) and is being withheld as permitted by 29CFR19191200 (i). No other ingredients known to be hazardous.

SECTION 4 - FIRST AID MEASURES

| | |
|--------------------|---|
| EYES: | Check for and remove contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately. |
| SKIN: | Wash skin surfaces thoroughly after contact. Wash clothing and clean shoes thoroughly before reuse. Get medical attention if irritation develops. |
| INHALATION: | Move exposed person to fresh air. If breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen clothing. Get medical attention immediately. |
| INGESTION: | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately. |
| GENERAL: | Physicians: No specific treatment. Treat symptomatically. Contact poison treatment specialist if large quantities have been inhaled or ingested. |

See Section 11 for exposure symptoms.

SECTION 5 - FIRE FIGHTING MEASURES

| | |
|--------------------------------|---|
| FLAMMABILITY: | In a fire or if heated, a pressure increase will occur and the container may burst. |
| EXTINGUISHING MEDIA: | Use an extinguishing agent suitable for the surrounding fire. |
| PROTECTIVE EQUIPMENT: | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with full face-piece operated in positive pressure mode. |
| ADDITIONAL INFORMATION: | Thermal decomposition products-carbon monoxide, sulfur oxides, metal oxide/oxides, halogenated compounds. |

SECTION 6 - ACCIDENTAL RELEASE MEASURES

| | |
|------------------------------|--|
| PERSONAL PRECAUTIONS: | No action should be taken involving individual risk or without suitable training. Isolate area. Avoid contact with material. Do not breathe vapors. Provide adequate ventilation. Wear proper personal protective equipment. |
|------------------------------|--|

| | | | |
|-------------------|--------------|----------------------------|--------------------------|
| COLOR: | Orange | LOWER EXPLOSIVE LIMITS: | NA |
| ODOR: | Butyl | VAPOR PRESSURE: | NA |
| ODOR THRESHOLD: | NA | VAPOR DENSITY: | NA |
| PH: | 11.5 - 14.0 | RELATIVE DENSITY: | NA |
| MELTING POINT: | NA | SOLUBILITY: | Completely Water Soluble |
| FREEZING POINT: | 23.00 F | PARTITION COEFFICIENT: | NA |
| BOILING POINT: | NA | AUTO-IGNITION TEMPERATURE: | NA |
| FLASH PT METHOD: | NA | DECOMPOSITION TEMPERATURE: | NA |
| FLASH POINT: | NA | SPECIFIC GRAVITY: | 1.07000 |
| EVAPORATION RATE: | NA | % VOLATILE: | 10.00000 |
| FLAMMABILITY: | Nonflammable | VISCOSITY (cst): | NA |

SECTION 10 - STABILITY AND REACTIVITY

| | |
|-------------------------------------|---|
| REACTIVITY: | HAZARDOUS DECOMPOSITION PRODUCTS |
| CHEMICAL STABILITY: | Stable under normal conditions. |
| POSSIBILITY OF HAZARDOUS REACTIONS: | Non-reactive. |
| CONDITIONS TO AVOID: | Excessive heat or open flame. |
| INCOMPATIBLE MATERIALS: | Avoid contact with acidic materials and strong oxidizers. |
| HAZARDOUS DECOMPOSITION PRODUCTS: | Under normal conditions, none are known. |

SECTION 11 - TOXICOLOGICAL INFORMATION

| | | | |
|------------------|------------|------------|-----------|
| ROUTES OF ENTRY: | Inhalation | Absorption | Ingestion |
|------------------|------------|------------|-----------|

ACUTE EXPOSURE HAZARDS:

| | |
|--------------|--|
| EYE CONTACT: | Irritation, stinging, redness, burns. |
| DERMAL: | Irritation, burns upon prolonged exposure. |
| ORAL: | Nausea, vomiting. |
| INHALATION: | No expected route of entry. Irritation. |

2-Butoxyethanol (CAS No. 111-76-2)



Safety Data Sheet Carpet Pro - Tile & Grout Cleaner

Page 5 of 7

Version: 1.0011
Revision Date: 03/05/2019
Print Date: 02/17/2025

Oral LD50: Rat 470 mg/kg

Tetrasodium EDTA (CAS No. 13235-36-4)
Oral LD50: 1780-<2,000 mg/kg, rat
Dermal LD50: >5,000 mg/kg, rabbit

Sodium Xylenesulfonate (CAS No. 1300-72-7)
Oral LD50: Rat 5 g/kg

D-Limonene (CAS No. 94266-47-4)
Oral LD50: 4,400 mg/kg rat

SECTION 12 - ECOLOGICAL INFORMATION

ECOTOXICITY: No data available.
PERSISTENCE & DEGRADABILITY: No data available.
BIOACCUMULATIVE POTENTIAL: No data available.
MOBILITY IN SOIL: No data available.
OTHER ADVERSE EFFECTS: No data available.

Sodium Hydroxide 50% (CAS No. 1310-73-2)
Fish LC50: 144mg/L, 96H guppy
2-Butoxyethanol (CAS No. 111-76-2)
Fish LC50: 1250mg/L, 96h, Inland Solverside
Crustacean LC50: Daphnia 1818 mg/L 24h
Tetrasodium EDTA (CAS No. 13235-36-4)
Fish LC50: >1592mg/l, 96h, bluegill
Sodium Xylenesulfonate (CAS No. 1300-72-7)
Fish LC50: Minnow 1000 mg/L 96h
D-Limonene (CAS No. 94266-47-4)
Fish LC50: 0.702 mg/L 96h minnow

SECTION 13 - DISPOSAL CONSIDERATION

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of the product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions. Dispose of container and unused contents in accordance with federal, state and local requirements.

SECTION 14 - TRANSPORT INFORMATION

DOT (US)

UN NUMBER: NA
SHIPPING NAME: NA
TECHNICAL NAME: NA

HAZARD CLASS: NA

PACKAGING GROUP: NA

SECTION 15 - REGULATORY INFORMATION

| SARA 313 COMPONENTS | CAS NO. | % LESS THAN |
|--------------------------------|----------|-------------|
| 2-Butoxyethanol | 111-76-2 | 1 - 5% |
| CALIFORNIA PROP. 65 COMPONENTS | CAS NO. | % LESS THAN |
| 2-Butoxyethanol | 111-76-2 | 1 - 5% |

RQ 1,000#

This product can expose you to Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm..

RTK: PA, NJ

SECTION 16 - OTHER INFORMATION


HAZARDOUS MATERIAL INFORMATION SYSTEM (U.S.A.)

| | |
|----------------------------|----------|
| Health Hazard | 2 |
| Fire Hazard | 0 |
| Reactivity | 0 |
| Personal Protection | B |

Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks and 4 representing significant hazards or risks.

- A Safety Glasses
- B Safety Glasses, Gloves
- C Safety Glasses, Gloves, Apron
- D Face Shield, Gloves, Apron
- E Safety Glasses, Gloves, Dust Respirator
- F Safety Glasses, Gloves, Apron, Dust Respirator
- G Safety Glasses, Gloves, Vapor Respirator
- H Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- I Safety Glasses, Gloves, Dust & Vapor Respirator
- J Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
- K Airline Hood or Mask, Gloves, Full Suit, Boots
- X Consult your supervisor for special handling directions

NATIONAL FIRE PROTECTION ASSOCIATION (U.S.A.)



NFPA warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health, and reactivity hazards of chemicals.

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act of 1970 and shall not be used for any other purpose. Use or dissemination of all or any part of this information can be grounds for legal action.

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as of the date of its issue.



**Warsaw
Chemical**

HOLDINGS LLC

P.O. BOX 858 • Warsaw, Indiana 46581
800-548-3396 • www.warsaw-chem.com

Safety Data Sheet
Carpet Pro - Tile & Grout Cleaner

Page 7 of 7

Version: 1.0011

Revision Date: 03/05/2019

Print Date: 02/17/2025

However, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY , EXPRESS OR OTHERWISE. The information this Safety Data Sheet contains is being given to that material when combined with other material(s) or when used otherwise than as described herein.

In all cases, it is the responsibility of the user to determine the applicability of such information and recommendations and the suitability of any product for its own particular purpose. All materials may represent unknown hazards and should be used with caution.